

## DECLARATION OF CONFORMITY

We De Rigo Vision S.p.a. with Headoffice in Z.I. Villanova 12, 32013 Longarone (BL) Italy ,  
as manufacturer and under our sole responsibility herewith declare that the personal protective  
equipment of category 1 sunglasses

Model **SZV337** brand **Zadig&Voltaire**

Color : 560301 – 560492 - 5608GJ - 560A46

complies with the provisions of the Regulation 2016/425 on personal protective equipment, as amended  
to apply in GB and the designated standards EN ISO 12312-1:2013 and EN ISO 12312-1:2013/A1:2015.

Longarone : 28 May 2024

**De Rigo Vision S.p.a.**

Technical Director

Nicola Topinelli



Bill of material

<b>COLLECTION: ZADIG &amp; VOLTAIRE</b>	<b>SERIES: 2022 ZADIG&amp;V (Sunday)</b>
<b>MODEL NAME: SZV337</b>	

COMPONENT	MATERIAL	ITEM CODE
Eye rim	Stainless Steel	TM3849L/R
Bridge	Nickel Silver	ABM3849
Top Bar	Nickel Silver	ADN3849
Front Hinge	Nickel Silver	AEN3849
Endpiece	Nickel Silver	AEN3849
Rear Hinge	Nickel Silver	ACN3647
Temple	Nickel Silver	ACN3647
Hinge Screw	Stainless Steel	BSSH010072
Pad Arm	Nickel Silver	AYNA00025L/R
Nose Pad	PVC	ANF001700L/R ANF001700L/R
Nose Pad Screw	Stainless Steel	BSSG000009/BSSG00
Rimlock	Nickel Silver	BRNH00131
Rimlock Screw	Stainless Steel	DSSH000932
WireCore	Stainless Steel	WS0001410052
Temple Tip	Acetate	T001J
	Acetate	ELMT-2887
	Acetate	K1048
	Acetate	ELMT-3161
Lens	CR39	3714B
	Nylon	LENY6VRS02
	Nylon	LENY6AB01AS
	Nylon	LENY6VB01AS

**DATE: Jan.5, 2022**



**SIGNATURE:**

**DE RIGO VISION S.p.A.** - SOCIETÀ CON SOCIO UNICO

Zona Industriale Villanova, 12 - 32013 Longarone (BL) - Italy

T: +39 0437 7777 - FAX: +39 0437 573250 FAX AMM: +39 0437 770727 - Nr. VERDE: 800 856000

Codice fiscale e Registro imprese n. 01001050259 - Partita Iva IT 01001050259

Capitale sociale €10.000.000,00 i.v. - R.E.A. Belluno n. 88478

Società soggetta a direzione e coordinamento di De Rigo S.p.A.

Test report

MODEL NAME: SZV337

N°	DOCUMENT REQUEST	SUNGLASSES	EYEGLASSES	MEASURED	PASS	FAIL	REMARKS
A / 1	BRIDGE DEFORMATION (SUNGLASSES)	ISO 12312-1:2013 clause 7.2	/	D= 1.0%	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
A / 2	BRIDGE DEFORMATION (EYEGLASSES)	/	EN ISO 12870:2012 clause 4.8.1; 4.8.2	D= %	<input type="checkbox"/>	<input type="checkbox"/>	
B	ENDURANCE TEST	ISO 12870:2012 clause 4.8.3 ISO 12312-1:2013 Clause 7.4	ISO 12870:2012 clause 4.8.3	$\Delta d=2mm$	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
C	PRISMATIC POWER	ISO 12312-1:2013 clause 6	/		<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D	DIMENSIONAL STABILITY AT ELEVATED TEMPERATURES OWEN 66°C (+/-5°C) FOR 2 HOURS	ISO 12870:2012 clause 4.6	ISO 12870:2012 clause 4.6	$\Delta d=2mm$	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
E	DIMENSIONAL TOLERANCES ON NOMINAL SIZE	/	ISO 12870:2012 clause 4.4	A =58.1 DBL =18.0 BRIDGE = TEMPLE =140.8	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
F	RESISTANCE TO IGNITION	ISO 12312-1:2013 clause 9	ISO 12870:2012 clause 4.9		<input checked="" type="checkbox"/>	<input type="checkbox"/>	
G	RESISTANCE TO PERSPIRATION	ISO 12870:2012 clause 4.7 ISO 12312-1:2013 clause 7.5	ISO 12870:2012 clause 4.7		<input checked="" type="checkbox"/>	<input type="checkbox"/>	

\* PAY ATTENTION, ALSO SUN MODELS SUITABLE BY OPHTHALMIC LENS MOUNTING MUST TO PERFORM ENDURANCE TEST

NIKEL RELEASE

This test is needed for all the set of colors you make for De Rigo

N°	DOCUMENT REQUEST	SUNGLASSES	EYEGLASSES	MEASURED	PASS	FAIL	NOTE
H	NIKEL RELEASE	EN16128:2015.	EN16128:2015.	( $\mu g/cm^2/week$ )	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
					<input type="checkbox"/>	<input type="checkbox"/>	



SIGNATURE: \_\_\_\_\_ DATE: Jan. 5, 2022